



# SURGICAL INSTRUMENTS CATALOG

2026



**OMEGA**  
SURGICAL INSTRUMENTS



# OMEGA

SURGICAL INSTRUMENTS

## Omega Commitment

It is our belief that every patient deserves the best possible treatment. That is why Omega focuses solely on cutting accessories. We strive to produce the highest quality cutting products available by continually perfecting our line.



### Brand Compatibility

Experience superior blades in the power equipment of your surgeon's choice.



## Surgeon Preferred Orthopedic Blades

### Premium Materials


Special select alloy blends ensure maximum durability.

### Visual Guide

Precision laser marking for controlled depth perception.

### DiaMax Blades

Proprietary Diamond honed teeth reduce thermal build-up.



### Precision Manufacturing

Utilization of advanced manufacturing technology and materials ensures fast and precise cuts every time.

### Experience Cutting Excellence

Surgical blades designed for superior orthopedic performance.




## Trusted Worldwide

Surgeons and medical facilities from over 30 countries annually utilize Omega cutting accessories for surgical procedures.

## Quality Control

ISO 13485 Certified

FDA FDA Registered



Press CTRL + F

## Search Any Known Part Number

Our cross reference system will return most known part numbers with their Omega equivalent.

We have compiled an extensive list of part numbers for various brands. To search your favorite part number, simply press CTRL + F to open the search box.

## Jump Links

Click on links to jump to designated sections.

## Current Location

Highlighted sections display current location.

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy

**Length**  
XX.X MM

**Width**  
XX.X MM



ΩMEGA  
FULL INSERT

<b>Part Number</b>	OOS-809
<b>Blade Thickness</b>	0.89 MM
<b>Cut thickness</b>	0.89 MM

## Custom Products

## Design and Development

Don't see the item you are seeking in our catalog? Call 810-695-9800 or email sales@omegasurgical.com today to discuss your project.



## Minimum Order Quantity

All items are packaged and sold individually unless indicated by this icon. The minimum order quantity is displayed to the right of the part number.

**Total Joint Oscillating Blades**

- 5. Stryker® Replacements
- 20. Conmed® Replacements
- 34. Synthes® Replacements
- 34. Zimmer® Replacements
- 34. Arthrex® Replacements
- 41. De Soutter Medical® Replacements
- 48. Aesculap® Replacements

**Total Joint Reciprocating Blades**

- 10. Stryker® Replacements
- 28. Conmed® Replacements
- 38. Synthes® Replacements
- 38. Zimmer® Replacements

**Micro Oscillating Blades**

- 11. Stryker® Replacements
- 29. Conmed® Sagittal Replacements
- 29. Conmed® Oscillating Replacements
- 39. Synthes® Replacements
- 43. 3M® Replacements
- 51. Dyonics® Replacements
- 52. MicroAire® Replacements

**Micro Reciprocating Blades**

- 15. Stryker® Replacements
- 31. Conmed® Replacements
- 55. MicroAire® Replacements

**Sternum Blades**

- 18. Stryker® Replacements
- 33. Conmed® Replacements
- 47. 3M® / Sarns® Replacements
- 47. Codman® Replacements

**Mandibular Osteotomy Blades**

- 14. Stryker® Replacements

**Cast Removal**

- 16. Stryker® Replacements
- 42. De Soutter Medical® Replacements

**Autopsy Blades**

- 19. Stryker® Replacements
- 42. De Soutter Medical® Replacements

**Twist Drills**

- 56. AO Quick Release
- 57. Jacobs Chuck Shank

**Cutting Burs**

- 58. Round Burs
- 59. Oval Burs
- 59. Side Cutting Burs
- 60. Barrel Burs
- 61. Acom Burs
- 61. Lindemann Burs
- 61. Swanson Burs
- 62. Wire Pass Drills
- 62. Shannon Burs

**Diamond Burs**

- 63. Round Diamond Burs
- 63. Oval Diamond Burs
- 64. Dermabraders

**Specialty Cutting Burs**

- 65. Stryker® Replacements
- 66. Medtronic® Replacements

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Stryker®**




Compatible With Stryker® Hand Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With Stryker® System 8  
System 7  
System 6  
System 5  
System 4  
System 2000


All blades are packaged individually




Part Number	DX6-260	DX6-261	DX6-262
Blade Thickness	1.18 MM	1.26 MM	0.89 MM
Cut thickness	1.18 MM	1.26 MM	0.97 MM



Part Number	DX6-265	DX6-266	DX6-267
Blade Thickness	1.26 MM	0.89 MM	1.19 MM
Cut thickness	1.26 MM	0.97 MM	1.19 MM



Part Number	DX6-268	OOS-803	DX6-269	DX6-270
Blade Thickness	0.89 MM	0.89 MM	1.18 MM	1.26 MM
Cut thickness	0.97 MM	1.14 MM	1.18 MM	1.26 MM



Part Number	OOS-805
Blade Thickness	0.89 MM
Cut thickness	0.89 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**



Compatible With  
Stryker®  
Hand  
Pieces  
8208  
7208  
6208  
4208  
4108  
2108


Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System  
2000

All blades are packaged individually




**Part Number** OOS-809

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.89 MM




**Part Number** OOS-818

**Blade Thickness** 1.21 MM  
**Cut thickness** 1.21 MM



**Part Number** OOS-820

**Blade Thickness** 0.64 MM  
**Cut thickness** 1.03 MM



**Part Number** OOS-825

**Blade Thickness** 0.64 MM  
**Cut thickness** 1.02 MM

- Stryker®
- Commed®
- Synthes®
- De Sautter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**




Compatible With  
Stryker®  
Hand  
Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System  
2000


All blades are packaged individually




<b>Part Number</b>	<b>OOS-831</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>OOS-844</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.76 MM</b>



<b>Part Number</b>	<b>OOS-845</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.76 MM</b>



<b>Part Number</b>	<b>OOS-848</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.76 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**



Compatible With  
Stryker®  
Hand  
Pieces  
8208  
7208  
6208  
4208  
4108  
2108


Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System  
2000

All blades are packaged individually




**Part Number** OOS-851 

**Blade Thickness** 1.18 MM  
**Cut thickness** 1.18 MM




**Part Number** OOS-852 OOS-858

**Blade Thickness** 1.18 MM 1.25 MM  
**Cut thickness** 1.18 MM 1.25 MM



**Part Number** OOS-882

**Blade Thickness** 1.18 MM  
**Cut thickness** 1.18 MM



**Part Number** OOS-883 

**Blade Thickness** 1.23 MM  
**Cut thickness** 1.23 MM

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sterrnum  
Autopsy




**Stryker®**



Compatible With Stryker® Hand Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With Stryker® System 8  
System 7  
System 6  
System 5  
System 4  
System 2000


All blades are packaged individually



**Part Number** OOS-885

**Blade Thickness** 1.18 MM


**Cut thickness** 1.18 MM



**Part Number** OOS-918

**Blade Thickness** 1.24 MM

**Cut thickness** 1.24 MM



**Part Number** OOS-14258

**Blade Thickness** 1.18 MM

**Cut thickness** 1.18 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**




Compatible With  
Stryker®  
Hand Pieces  
8206  
7206  
6206  
4206  
4106  
2106

Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System  
2000


All blades are packaged individually




<b>Part Number</b>	<b>ORS-250</b> 
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-275</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.92 MM</b>



<b>Part Number</b>	<b>ORS-300</b> 
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-325</b>
<b>Blade Thickness</b>	<b>0.77 MM</b>
<b>Cut thickness</b>	<b>1.14 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**




Compatible With Stryker® Hand Pieces  
4508  
4408  
4300-34  
4100-400  
7400-34  
7400-31  
6400-34  
6400-31  
5400-34  
5400-31  
5100-34  
5100-31  
2296-234  
2296-231  
2296-34  
2296-31

Compatible With Stryker® TPX® RemB® CORE® TPS®


All blades are packaged individually




<b>Part Number</b>	<b>SM-2419</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>




<b>Part Number</b>	<b>SM-3051</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>




<b>Part Number</b>	<b>SM-3101</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>




<b>Part Number</b>	<b>SM-3102</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>




<b>Part Number</b>	<b>SM-3103</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>



<b>Part Number</b>	<b>SM-3104</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>



<b>Part Number</b>	<b>SM-3105</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>



<b>Part Number</b>	<b>SM-3106</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy




**Stryker®**




Compatible With Stryker® Hand Pieces  
4508  
4408  
4300-34  
4100-400  
7400-34  
7400-31  
6400-34  
6400-31  
5400-34  
5400-31  
5100-34  
5100-31  
2296-234  
2296-231  
2296-34  
2296-31

Compatible With Stryker® TPX® RemB® CORE® TPS®


All blades are packaged individually




Part Number	SM-3108
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3111
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3114
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3115
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3125
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM



Part Number	SM-3206
Blade Thickness	0.38 MM
Cut Thickness	0.61 MM



Part Number	SM-3212
Blade Thickness	0.38 MM
Cut Thickness	0.61 MM



Part Number	SM-3225
Blade Thickness	0.38 MM
Cut Thickness	0.61 MM

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy




**Stryker®**




Compatible With Stryker® Hand Pieces  
4508  
4408  
4300-34  
4100-400  
7400-34  
7400-31  
6400-34  
6400-31  
5400-34  
5400-31  
5100-34  
5100-31  
2296-234  
2296-231  
2296-34  
2296-31

Compatible With Stryker® TPX® RemB® CORE® TPS®


All blades are packaged individually




<b>Part Number</b>	<b>SM-3410</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>




<b>Part Number</b>	<b>SM-3411</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>




<b>Part Number</b>	<b>SM-3412</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>



<b>Part Number</b>	<b>SM-3414</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>



<b>Part Number</b>	<b>SM-3819</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>SM-5009</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy

**Stryker®**




Requires  
Stryker®  
Adaptor  
2296-3-402



Compatible  
With Stryker®  
Hand Pieces  
7400-31  
6400-31  
5400-31  
5100-31  
2296-231  
2296-31


Compatible  
With Stryker®  
Systems  
TPX®  
RemB®  
CORE®  
TPS®

All blades are packaged individually




**Part Number** OOS-6132

**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM




**Part Number** OOS-6134

**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM



**Part Number** OOS-6150


**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM



**Part Number** OOS-6152

**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sterrnum  
Autopsy




**Stryker®**



Special Order

<b>Part Number</b>	<b>ORST-323R</b> 
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.38 MM



<b>Part Number</b>	<b>ORST-906R</b> 
<b>Blade Thickness</b>	0.28 MM
<b>Cut Thickness</b>	0.41 MM



<b>Part Number</b>	<b>ORST-133</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.56 MM



<b>Part Number</b>	<b>ORST-134</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.56 MM



<b>Part Number</b>	<b>ORST-233</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.52 MM

Compatible  
With Stryker®  
Hand Pieces  
7400-37  
6400-37  
5400-37  
5100-37

Compatible  
With Stryker®  
Systems  
TPX®  
RemB®  
CORE®  
TPS®

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**




Compatible  
With Stryker®  
System  
940  
986


All blades are packaged individually



Part Number	CC940-23
Material	Maximum Durability



Part Number	CC940-25
Material	Stainless Steel



Part Number	CC940-35
Material	Titanium Nitride




\*Photo Not Actual Size

Part Number	CC986-500
Compatible System	CastVac®


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**




Part Number	CC1-001
Material	Stainless Steel




Part Number	CC2-0
Material	Stainless Steel

Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC2-5X
Material	Stainless Steel




Part Number	CC2-0X
Material	Stainless Steel

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**



<b>Part Number</b>	<b>ORS-027</b> 
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-100</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-101</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

Compatible  
With Stryker®  
Hand Pieces  
8207  
7207  
6207  
4207  
2107

Compatible  
With Stryker®  
Systems  
System 8  
System 7  
System 6  
System 5  
System  
2000

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**



Compatible  
With Stryker®  
Hand Pieces  
810




Part Number	OD-412
Material	Stainless Steel



Part Number	OD-410
Material	Stainless Steel



Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC6 -001 
Material	Stainless Steel

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy**




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




Part Number	DXS-201	DXS-202	DXS-203
Blade Thickness	1.27 MM	0.89 MM	1.19 MM
Cut thickness	1.37 MM	0.97 MM	1.19 MM



Part Number	DXS-205	DXS-206
Blade Thickness	1.27 MM	0.89 MM
Cut thickness	1.27 MM	0.97 MM



Part Number	DXS-209	DXS-210
Blade Thickness	1.19 MM	1.27 MM
Cut thickness	1.19 MM	1.27 MM



Part Number	ZHS-051
Blade Thickness	0.64 MM
Cut thickness	0.99 MM

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Conmed®**



Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02


Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®

All blades are packaged individually




**Part Number** ZHS-054K

**Blade Thickness** 0.98 MM  
**Cut thickness** 1.27 MM




**Part Number** ZHS-056

**Blade Thickness** 0.79 MM  
**Cut thickness** 1.19 MM



**Part Number** ZHS-1006 ZHS-1009

**Blade Thickness** 1.27 MM 1.47 MM  
**Cut thickness** 1.27 MM 1.47 MM



**Part Number** ZHS-101

**Blade Thickness** 1.25 MM  
**Cut thickness** 1.51 MM

Stryker®  
Conmed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sterrnum  
Autopsy




**Conmed®**



Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02


Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®

All blades are packaged individually




**Part Number** ZHS-1101

**Blade Thickness** 1.37 MM  
**Cut thickness** 1.47 MM




**Part Number** ZHS-137

**Blade Thickness** 0.64 MM  
**Cut thickness** 1.02 MM



**Part Number** ZHS-145

**Blade Thickness** 0.64 MM  
**Cut thickness** 0.94 MM



**Part Number** ZHS-150

**Blade Thickness** 0.89 MM  
**Cut thickness** 1.04 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZHS-154</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.37 MM</b>



<b>Part Number</b>	<b>ZHS-201</b>
<b>Blade Thickness</b>	<b>1.26 MM</b>
<b>Cut thickness</b>	<b>1.26 MM</b>



<b>Part Number</b>	<b>ZHS-205</b>
<b>Blade Thickness</b>	<b>0.89 MM</b>
<b>Cut thickness</b>	<b>1.04 MM</b>



<b>Part Number</b>	<b>ZHS-272</b>
<b>Blade Thickness</b>	<b>0.89 MM</b>
<b>Cut thickness</b>	<b>0.97 MM</b>

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZHS-305</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.42 MM</b>



<b>Part Number</b>	<b>ZHS-377</b>
<b>Blade Thickness</b>	<b>1.47 MM</b>
<b>Cut thickness</b>	<b>1.51 MM</b>



<b>Part Number</b>	<b>ZHS-530</b>
<b>Blade Thickness</b>	<b>1.35 MM</b>
<b>Cut thickness</b>	<b>1.35 MM</b>



<b>Part Number</b>	<b>ZHS-551</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.94 MM</b>

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZHS-550</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZHS-552</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZHS-553</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZHS-554</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.50 MM</b>

Stryker®  
Conmed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZHS-555</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.75 MM</b>



<b>Part Number</b>	<b>ZHS-556</b>
<b>Blade Thickness</b>	<b>0.78 MM</b>
<b>Cut thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZHS-561</b>
<b>Blade Thickness</b>	<b>1.26 MM</b>
<b>Cut thickness</b>	<b>1.26 MM</b>



<b>Part Number</b>	<b>ZHS-572</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut thickness</b>	<b>0.98 MM</b>

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Conmed®**



Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02


Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®

All blades are packaged individually




**Part Number** ZHS-574

**Blade Thickness** 0.78 MM  
**Cut thickness** 0.94 MM




**Part Number** ZHS-578

**Blade Thickness** 0.81 MM  
**Cut thickness** 0.95 MM



**Part Number** ZHS-595

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.95 MM



**Part Number** ZHS-777R

**Blade Thickness** 1.00 MM  
**Cut thickness** 1.31 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9400B  
PRO7400B  
PRO6400M  
PRO6400  
PRO6135  
PRO6185  
PRO5400M  
PRO5400  
5071-03  
5067-03  
5044-03

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZH-258</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.99 MM</b>




<b>Part Number</b>	<b>ZH-259</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.99 MM</b>



<b>Part Number</b>	<b>ZH-260</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut thickness</b>	<b>0.56 MM</b>



<b>Part Number</b>	<b>ZH-261</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.60 MM</b>



<b>Part Number</b>	<b>ZH-273</b>
<b>Blade Thickness</b>	<b>0.74 MM</b>
<b>Cut thickness</b>	<b>0.99 MM</b>

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**Conmed®**




<b>Part Number</b>	<b>ZMS-027</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.59 MM




<b>Part Number</b>	<b>ZMS-118</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.59 MM




<b>Part Number</b>	<b>ZMS-131</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.59 MM




<b>Part Number</b>	<b>ZMS-132</b>
<b>Blade Thickness</b>	0.39 MM
<b>Cut Thickness</b>	0.65 MM




<b>Part Number</b>	<b>ZMS-133</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.59 MM




<b>Part Number</b>	<b>ZMS-137</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.60 MM




<b>Part Number</b>	<b>ZMS-138</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.51 MM



<b>Part Number</b>	<b>ZMS-139</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.60 MM



<b>Part Number</b>	<b>ZMS-140</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.60 MM



<b>Part Number</b>	<b>ZMS-141</b>
<b>Blade Thickness</b>	0.38 MM
<b>Cut Thickness</b>	0.60 MM

Compatible With Conmed® Hand Pieces PRO8200SB PRO7200SE 6021-022 6020-022 5020-022 5053-11 5040-02

Compatible With Conmed® MicroFree® Micropower®+ Micropower® MicroChoice® Micro 100® MicroE®

All blades are packaged individually

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**Conmed®**




<b>Part Number</b>	<b>ZMS-143</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>




<b>Part Number</b>	<b>ZMS-183</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>




<b>Part Number</b>	<b>ZMS-233L</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut thickness</b>	<b>0.60 MM</b>



<b>Part Number</b>	<b>ZMS-3109</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.48 MM</b>



<b>Part Number</b>	<b>ZMS-5009</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>OAR-1821</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



Compatible With Conmed® Hand Pieces PRO8200SB PRO7200SE 6021-022 6020-022 5020-022 5053-11 5040-02

Compatible With Conmed® MicroFree® Microower®+ Micropower® MicroChoice® Micro 100® MicroE®

All blades are packaged individually

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy

**Conmed®**



Compatible  
With Conmed®  
Hand Pieces  
5053-11  
5040-02


Compatible  
With Conmed®  
Micro 100®  
MicroE®




Compatible  
With Conmed®  
Hand Pieces  
PRO8200SB  
PRO7200SE  
6021-022  
6020-022  
5020-022  
5040-02

Compatible  
With Conmed®  
MicroFree®  
Microower®+  
Micropower®  
MicroChoice®  
Micro 100®  
MicroE®


All blades are packaged individually




Part Number	ZM-260
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM




Part Number	ZM-261
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM




Part Number	ZM-262
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM




Part Number	ZM-263
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM



Part Number	ZM-264
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM




Part Number	ZM-265
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM




Part Number	ZM-266
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM




Part Number	ZM-273
Blade Thickness	0.38 MM
Cut Thickness	0.60 MM



Part Number	ZM-170
Blade Thickness	0.48 MM
Cut Thickness	0.64 MM



Part Number	ZM-171
Blade Thickness	0.48 MM
Cut Thickness	0.64 MM



Part Number	ZM-172
Blade Thickness	0.48 MM
Cut Thickness	0.64 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith  
Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**Conmed®**



Part Number	ZM-020
Blade Thickness	0.38 MM
Cut Thickness	0.59 MM



Part Number	ZM-220
Blade Thickness	0.38 MM
Cut Thickness	0.56 MM



Part Number	ZM-221
Blade Thickness	0.38 MM
Cut Thickness	0.56 MM




Part Number	ZM-050
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM




Part Number	ZM-051
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-052
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-053
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-054
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-126
Blade Thickness	0.38 MM
Cut Thickness	0.51 MM



Part Number	ORS-133
Blade Thickness	0.64 MM
Cut Thickness	1.02 MM

Compatible With Conmed® Hand Pieces PRO8400SB PRO7400SE 6021-023 6020-023 5020-023 5053-10 5040-03

Compatible With Conmed® MicroFree® Microower®+ Microower® MicroChoice® Micro 100® MicroE®

All blades are packaged individually

- Stryker®
- Conmed®
- Synthes®
- De Sautter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Conmed®**



Compatible With Conmed® Hand Pieces  
PRO8400SB  
PRO7400SE  
6021-023  
6020-023  
5020-023  
5053-10  
5040-03

Compatible With Conmed® MicroFree®  
Microower®+  
Microower®  
MicroChoice®  
Micro 100®  
MicroE®

All blades are packaged individually

<b>Part Number</b>	<b>ORS-707</b>
<b>Blade Thickness</b>	<b>0.44 MM</b>
<b>Cut Thickness</b>	<b>0.44 MM</b>
<b>Part Number</b>	<b>ORS-712</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.51 MM</b>
<b>Part Number</b>	<b>ORS-720</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.51 MM</b>
<b>Part Number</b>	<b>ORS-733</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.51 MM</b>
<b>Part Number</b>	<b>ZM-081</b>
<b>Rasp Width</b>	<b>6.5 MM</b>
<b>Rasp Length</b>	<b>12.7 MM</b>
<b>Part Number</b>	<b>ZM-084B</b>
<b>Broach Thickness</b>	<b>3.2 MM</b>
<b>Broach Depth</b>	<b>6.9 MM</b>

Stryker®  
Conmed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy




**Conmed®**




Compatible  
With Conmed®  
Hand Pieces  
PRO7450B  
PRO6450M  
5059-005  
5057-040

Compatible  
With Conmed®  
Hall 50®  
Mpower 2®  
Micro 100®


All blades are packaged individually



<b>Part Number</b>	<b>ZST-032</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZST-279</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>ZHS-137</b>
<b>Blade Thickness</b>	<b>0.63 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60


Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®

Zimmer Biomet®  
Universal  
Power®


Arthrex®  
DrillSaw  
Max®

All blades are packaged individually




**Part Number** AGC-695R 

**Blade Thickness** 0.97 MM  
**Cut thickness** 1.32 MM




**Part Number** AGC-920 

**Blade Thickness** 1.27 MM  
**Cut thickness** 1.37 MM



**Part Number** SS-002 

**Blade Thickness** 1.18 MM  
**Cut thickness** 1.18 MM



**Part Number** SS-3-055 

**Blade Thickness** 1.27 MM  
**Cut thickness** 1.27 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60


Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®

Zimmer Biomet®  
Universal  
Power®


Arthrex®  
DrillSaw  
Max®

All blades are packaged individually




**Part Number** SS62-125

**Blade Thickness** 0.64 MM  
**Cut thickness** 0.84 MM




**Part Number** SS-102

**Blade Thickness** 1.18 MM  
**Cut thickness** 1.18 MM



**Part Number** SS-103

**Blade Thickness** 0.38 MM  
**Cut thickness** 0.59 MM



**Part Number** SS-108

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.89 MM

Stryker®  
Commed®  
Synthes®  
De Sautter®  
3M®  
Aesculap®  
Smith Nephew®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60


Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®

Zimmer Biomet®  
Universal  
Power®


Arthrex®  
DrillSaw  
Max®

All blades are packaged individually




**Part Number** SS-109

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.89 MM




**Part Number** SS-114

**Blade Thickness** 1.27 MM  
**Cut thickness** 1.37 MM



**Part Number** SS-115

**Blade Thickness** 1.27 MM  
**Cut thickness** 1.37 MM



**Part Number** SS-124

**Blade Thickness** 0.64 MM  
**Cut thickness** 0.94 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60

Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®

Zimmer Biomet®  
Universal  
Power®

Arthrex®  
DrillSaw  
Max®

All blades are packaged individually

Part Number	SS-201
Blade Thickness	1.26 MM
Cut thickness	1.26 MM

Part Number	SS-203
Blade Thickness	1.27 MM
Cut thickness	1.27 MM

Part Number	SS-230
Blade Thickness	0.38 MM
Cut thickness	0.59 MM

Part Number	SS-304
Blade Thickness	1.35 MM
Cut thickness	1.35 MM

Part Number	SS-777R
Blade Thickness	0.99 MM
Cut thickness	1.30 MM


- Stryker®
- Commed®
- Synthes®
- De Sautter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy

**Synthes®**




Compatible With  
Synthes®  
530.715  
511.615

Compatible With  
Synthes®  
Battery  
Reciprocator  
II®  
Air  
Reciprocator®



<b>Part Number</b>	<b>SY-905</b>
<b>Blade Thickness</b>	<b>0.93 MM</b>
<b>Cut thickness</b>	<b>1.08 MM</b>




<b>Part Number</b>	<b>SY-975</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.92 MM</b>

**Total Joint Reciprocating Blades**

**Zimmer Biomet®**

Compatible With  
Zimmer®  
89-8509-451-20



<b>Part Number</b>	<b>ZH-90119</b>
<b>Blade Thickness</b>	<b>0.89 MM</b>
<b>Cut thickness</b>	<b>1.09 MM</b>

All blades are packaged individually



Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith  
Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs



Cast Removal

Sternum

Autopsy



**Synthes®**



<b>Part Number</b>	<b>SSM-048</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.66 MM</b>

<b>Part Number</b>	<b>SSM-064</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.66 MM</b>

Compatible With  
Synthes®  
532.010  
532.101


Requires  
532.021

Compatible With  
Synthes®  
Colibri II®  
Colibri®  
Small Bone  
Battery  
Drive II®  
Small Bone  
Battery Drive®


All blades are packaged individually

- Stryker®
- Commed®
- Synthes®**
- De Soutter®
- 3M®
- Aesculap®
- Smith  
Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy


Synthes®




<b>Part Number</b>	<b>SSE-1855</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.48 MM</b>




<b>Part Number</b>	<b>SSE-2419</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>SSE-2590</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.48 MM</b>



<b>Part Number</b>	<b>SSE-3190</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>SSE-4095</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>

Compatible With Synthes®  
05.001.010  
05.001.011  
05.001.080

Requires  
05.001.039

Compatible With Synthes®  
Epen Drive®  
Airpen Drive®

All blades are packaged individually



- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**De Soutter®**



Compatible  
With De  
Soutter®  
MBQ-700


Compatible  
With De Soutter®  
OrthoDrive®

All blades are packaged individually




**Part Number** DS-87100 

**Blade Thickness** 0.80 MM  
**Cut thickness** 0.95 MM



**Part Number** DS-87104 

**Blade Thickness** 0.80 MM  
**Cut thickness** 0.95 MM




**Part Number** DS-87206 

**Blade Thickness** 1.19 MM  
**Cut thickness** 1.27 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**De Soutter®**



<b>Part Number</b>	<b>DS-81105</b> 
<b>Material</b>	<b>Stainless Steel</b>
<b>Cut Thickness</b>	<b>0.92 MM</b>


<b>Part Number</b>	<b>DCC-635-25</b>
<b>Material</b>	<b>Stainless Steel</b>
<b>Cut Thickness</b>	<b>0.89 MM</b>

Compatible With De Soutter®  
CC6  
CC5  
CBS-100  
CSP-201  
CNS3

Compatible With De Soutter®  
CleanCast®  
QuietCast®

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®**
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal**
- Sternum
- Autopsy



**3M®**




Requires  
3M®  
K-220




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver  
Mini Driver  
II®


All blades are packaged individually




Part Number	OK-141
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-142
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-143
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-144
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-145
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-146
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM




Part Number	OK-147
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-148
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM




Part Number	OK-149
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-151
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**3M®**




Requires  
3M®  
K-220




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver®  
Mini Driver  
II®


All blades are packaged individually




<b>Part Number</b>	<b>OK-152</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>




<b>Part Number</b>	<b>OK-153</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>OK-154</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>OK-155</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>OK-156</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>

- Striker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**3M®**




Requires  
3M®  
K-120




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver®  
Mini Driver  
II®


All blades are packaged individually




Part Number	OK-121
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-122
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-123
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-124
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-125
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-131
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM




Part Number	OK-132
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-133
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-134
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-135
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith  
Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy



**3M®**




Requires  
3M®  
K-120




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver®  
Mini Driver  
II®

All blades are packaged individually



<b>Part Number</b>	<b>OK-136</b>
<b>Blade Thickness</b>	<b>0.41 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>OK-5009</b>
<b>Blade Thickness</b>	<b>0.41 MM</b>
<b>Cut Thickness</b>	<b>0.62 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®**
- Aesculap®
- Smith & Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**3M®**




Compatible  
With 3M®  
5590

Compatible  
With 3M®  
Sarns® II  
Sarns®




Compatible  
With  
Codman®  
26-7006

All blades are packaged individually



Part Number	ORS-028
Blade Thickness	0.79 MM
Cut Thickness	1.02 MM



Part Number	OC-110 
Blade Thickness	0.95 MM
Cut Thickness	1.17 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®**
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum**
- Autopsy




**Aesculap®**




Compatible with  
Aesculap®  
GA673  
GA668  
GB660R


All blades are packaged individually




Part Number	AGC-296
Blade Thickness	1.26 MM
Cut thickness	1.26 MM



Part Number	AGE-236
Blade Thickness	1.23 MM
Cut thickness	1.23 MM



Part Number	AGE-241
Blade Thickness	1.27 MM
Cut thickness	1.27 MM




Part Number	AGE-246
Blade Thickness	1.26 MM
Cut thickness	1.26 MM


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Aesculap®**




<b>Part Number</b>	<b>AGC-281</b> 
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.37 MM</b>



<b>Part Number</b>	<b>AGC-285</b> 
<b>Blade Thickness</b>	<b>1.23 MM</b>
<b>Cut thickness</b>	<b>1.33 MM</b>



<b>Part Number</b>	<b>AGC-552</b> 
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.97 MM</b>



<b>Part Number</b>	<b>AGC-553</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.97 MM</b>


Compatible with  
Aesculap®  
GB129

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Aesculap®**



<b>Part Number</b>	<b>AGC-777R</b>
<b>Blade Thickness</b>	<b>1.00 MM</b>
<b>Cut thickness</b>	<b>1.31 MM</b>



<b>Part Number</b>	<b>AGC-2803</b>
<b>Blade Thickness</b>	<b>0.89 MM</b>
<b>Cut thickness</b>	<b>0.89 MM</b>

Compatible with  
Aesculap®  
GB129

All blades are packaged individually

- Striker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®**
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Dyonics®**




Requires  
Dyonics®  
7205791




Compatible  
with Dyonics®  
7205785


All blades are packaged individually



<b>Part Number</b>	<b>SN-5804</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>



<b>Part Number</b>	<b>SN-5805</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.62 MM</b>




<b>Part Number</b>	<b>SN-5806</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.62 MM</b>


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap
- Smith®  
Nephew
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**MicroAire®**




<b>Part Number</b>	<b>MB-12001</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12005</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12006</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12007</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12008</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12009</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12010</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-12011</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-12012</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-12013</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM

Compatible with  
MicroAire®  
1220  
1920T  
1920  
2200  
5922  
6200


Dyonics®  
7209394

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**MicroAire®**




<b>Part Number</b>	<b>MB-12014</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12017</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12018</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12019</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-17001</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-17002</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-17003</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-17007</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-17008</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-17009</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM

Compatible with  
MicroAire®  
1220  
1920T  
1920  
1922  
2200  
5922  
6200

Dyonics®  
7209394

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap

Smith Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**MicroAire®**



<b>Part Number</b>	<b>MB-17010</b>
<b>Blade Thickness</b>	<b>0.26 MM</b>
<b>Cut Thickness</b>	<b>0.53 MM</b>



<b>Part Number</b>	<b>MB-17012</b>
<b>Blade Thickness</b>	<b>0.26 MM</b>
<b>Cut Thickness</b>	<b>0.53 MM</b>



<b>Part Number</b>	<b>MB-17013</b>
<b>Blade Thickness</b>	<b>0.26 MM</b>
<b>Cut Thickness</b>	<b>0.53 MM</b>

Compatible with  
MicroAire®  
1220  
1920T  
1920  
1922  
2200  
5922  
6200


Dyonics®  
7209394

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap
- Smith Nephew®
- Medtronic®
- MicroAire®**
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**MicroAire®**



<b>Part Number</b>	<b>MB-14001</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>




<b>Part Number</b>	<b>MB-14002</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>MB-14003</b>
<b>Blade Thickness</b>	<b>0.51 MM</b>
<b>Cut Thickness</b>	<b>0.86 MM</b>



<b>Part Number</b>	<b>MB-14004</b>
<b>Blade Thickness</b>	<b>0.51 MM</b>
<b>Cut Thickness</b>	<b>0.86 MM</b>



<b>Part Number</b>	<b>MB-14006</b>
<b>Blade Thickness</b>	<b>0.51 MM</b>
<b>Cut Thickness</b>	<b>0.89 MM</b>


Compatible with  
MicroAire®  
1400  
1945  
2420  
5945  
6400  
6420

Dyonics®  
7209392

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap
- Smith Nephew®
- Medtronic®
- MicroAire®**
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy

## Orthopedic Twist Drills



Part Number	OSD-811	Diameter	1.1 MM	Flute Length	20 MM	Overall Length	60.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	---------



Part Number	OSD-815	Diameter	1.5 MM	Flute Length	30 MM	Overall Length	85.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	---------



Part Number	OSD-8510	Diameter	1.8 MM	Flute Length	44 MM	Overall Length	100.0 MM
-------------	----------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-819	Diameter	2.0 MM	Flute Length	48 MM	Overall Length	100.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-825	Diameter	2.5 MM	Flute Length	48 MM	Overall Length	110.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-25170	Diameter	2.5 MM	Flute Length	38 MM	Overall Length	170.0 MM
-------------	-----------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-826	Diameter	2.7 MM	Flute Length	48 MM	Overall Length	100.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-8288	Diameter	2.8 MM	Flute Length	48 MM	Overall Length	185.0 MM
-------------	----------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-831	Diameter	3.2 MM	Flute Length	30 MM	Overall Length	145.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-835	Diameter	3.5 MM	Flute Length	50 MM	Overall Length	110.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------




Part Number	OSD-844	Diameter	4.5 MM	Flute Length	48 MM	Overall Length	145.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------

All blades are packaged individually

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy

**Orthopedic Twist Drills**



<b>Part Number</b>	OZD-621	<b>Diameter</b>	1.6 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------



<b>Part Number</b>	OSD-820	<b>Diameter</b>	2.0 MM	<b>Flute Length</b>	48 MM	<b>Overall Length</b>	85.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	---------



<b>Part Number</b>	OZD-622	<b>Diameter</b>	2.0 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------



<b>Part Number</b>	OZD-623	<b>Diameter</b>	2.4 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------



<b>Part Number</b>	OSD-824	<b>Diameter</b>	2.5 MM	<b>Flute Length</b>	48 MM	<b>Overall Length</b>	95.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	---------



<b>Part Number</b>	OZD-624	<b>Diameter</b>	2.8 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------



<b>Part Number</b>	OZD-625	<b>Diameter</b>	3.2 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------



<b>Part Number</b>	OZD-626	<b>Diameter</b>	3.6 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------



<b>Part Number</b>	OZD-627	<b>Diameter</b>	4.0 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------



<b>Part Number</b>	OZD-628	<b>Diameter</b>	4.5 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------




<b>Part Number</b>	OZD-629	<b>Diameter</b>	4.8 MM	<b>Flute Length</b>	38 MM	<b>Overall Length</b>	125.0 MM
--------------------	---------	-----------------	--------	---------------------	-------	-----------------------	----------

All blades are packaged individually


- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy

**Smith & Nephew®**


Requires  
Smith & Nephew  
Pin Driver  
74013489



<b>Part Number</b>	<b>PTR-3230-02R</b>
<b>Pin Diameter</b>	<b>3.2 MM</b>
<b>Effective Length</b>	<b>30.0 MM</b>



<b>Part Number</b>	<b>PTR-3245-02R</b>
<b>Pin Diameter</b>	<b>3.2 MM</b>
<b>Effective Length</b>	<b>45.0 MM</b>




<b>Part Number</b>	<b>PTR-3270-04</b>
<b>Pin Diameter</b>	<b>3.2 MM</b>
<b>Effective Length</b>	<b>65.0 MM</b>



<b>Part Number</b>	<b>KS-32076-03</b>
<b>Pin Diameter</b>	<b>3.2 MM</b>
<b>Effective Length</b>	<b>76.2 MM</b>

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap
- Smith & Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




			Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM	Medium ~60 MM
	Size	Flutes	Smooth Shank			J-Notch		Osteomed
	1.0 MM	6	H-120	H-220	H-320	R2-51N	R1070N	
	1.2 MM	6	R3-51			R3-51N		
	1.5 MM	6	H-122	H-222	H-322		R1570N	
	1.8 MM	6	R6-51	R1870		R6-51N	R1870N	R6-60-01NS
	2.0 MM	6	H-124		H-324		R2070N	
	2.1 MM	6		H-224				
	2.3 MM	8	R8-51	R2370		R8-51N	R2370N	R8-60-01NS
	2.4 MM	6 - 8	H-125	H-225	H-325			
	2.7 MM	6		R2770			R2770N	
	3.0 MM	6 - 8		H-226	H-326	R30-51N	R3070N	
	3.1 MM	6	H-126					
	3.5 MM	6		R3570			R3570N	
	4.0 MM	8	H-128	H-228	H-328	R40-51N	R4070N	
	4.5 MM	8		R4570			R4570N	
	5.0 MM	8	H-130	H-230	H-330	R50-51N	R5070N	
	6.0 MM	8	R60-51	R6070		R60-51N	R6070N	
	6.5 MM	8	H-132	H-232	H-332			
	7.0 MM	8		R7070			R7070N	

All burs are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




Oval Cutting








Tapered Side Cutting



		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM	
Size	Flutes	Smooth Shank			J-Notch		
4.0 MM	8 - 10	H-136 	H-236 	H-336 	O4035N 	O4070N 	O40-65-01NS 
5.5 MM	10	H-138 	H-238 	H-338 			

		Medium ~50 MM	Long ~70 MM	Medium ~50 MM	Medium ~60 MM		
Size	Flutes	Head Length	Smooth Shank		J-Notch	Osteomed	
0.9 MM	6	4.2 MM	S699-51 		S699-51N 		
1.0 MM	6	4.3 MM	S700-51 		S700-51N 		
1.2 MM	6	4.3 MM	S701-51 		S701-51N 	S701-60-01NS 	
1.6 MM	6	10.1 MM	H-102 				
1.6 MM	6	4.4 MM	S702-51 		S702-51N 	S702-60-01NS 	
1.6 MM	6	6.0 MM	S702L-51 		S702L-51N 		
1.7 MM	6	12.2 MM		H-203 			
2.1 MM	6	7.6 MM	H-106 	H-206 			
2.0 MM	6	17.8 MM	H-114 	H-214 			
2.1 MM	6	4.4 MM	S703-51 		S703-51N 	S703-60-01NS 	
2.1 MM	6	7.5 MM	S703L-51 		S703L-51N 		
2.1 MM	6	4.7 MM			S1703-51N 	S1703-60-01NS 	
2.1 MM	6	7.4 MM	S1703L-51 		S1703L-51N 	S1703L-60-01NS 	

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy





Acorn Cutting		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Flutes	Smooth Shank			J-Notch	
1.0 MM	6		A1070			A1070N
2.0 MM	6		A2070			A2070N
3.0 MM	6		A3070			A3070N
4.0 MM	8		A4070			A4070N
5.0 MM	8		A5070			A5070N
6.0 MM	8		A6070			A6070N

Lindeman Cutting		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Flutes	Smooth Shank			J-Notch	
1.6 MM	4	H-112			L1670N	


Swanson Cutting		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Flutes	Smooth Shank			J-Notch	
2.0 MM	4	H-142	S2070			S2070N
3.0 MM	5	H-143	S3070			S3070N
4.0 MM	6	H-144	S4070			S4070N
5.0 MM	7	H-145	S5070			S5070N

All burs are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Wire Pass Drills**



**MIS / Shannon**



		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
<b>Size</b>	<b>Flutes</b>	<b>Smooth Shank</b>			<b>J-Notch</b>	

1.0 MM	2	W1051			W1051N	
1.5 MM	2	W1551			W1551N	
2.0 MM	2	W2051			W2051N	

			Medium ~65 MM	Long ~80 MM	Medium ~70 MM	Long ~80 MM
<b>Size</b>	<b>Flutes</b>	<b>Head Length</b>	<b>Smooth Shank</b>		<b>J-Notch</b>	


2.0 MM	3	22.0 MM		SH208022		
2.0 MM	3	8.0 MM	SH206508			
2.0 MM	3	12.0 MM	SH206512			

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Round Diamond



		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Grit	Smooth Shank			J-Notch	
1.0 MM	Fine	H-158	H-258	H-358		D1070N
1.5 MM	Fine		D1570			D1570N
2.0 MM	Fine	H-160	H-260	H-360		D2070N
2.5 MM	Fine		D2570			D2570N
3.0 MM	Fine	H-162	H-262	H-362		D3070N
3.5 MM	Fine		D3570			D3570N
4.0 MM	Fine	H-164	H-264	H-364		D4070N
4.5 MM	Fine		D4570			D4570N
5.0 MM	Fine	H-166	H-266	H-366		D5070N
6.0 MM	Fine	H-168	H-268	H-368		D6070N
7.0 MM	Fine		D7070			D7070N



Oval Diamond





		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Grit	Smooth Shank			J-Notch	
4.0 MM	Fine	H-170	H-270			

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Dermabrader**



Size	Grit	Smooth Shank			J-Notch		
		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM	
4.0 MM	Fine	H-180					
7.0 MM	Fine	H-181					
12.0 MM	Fine	H-182					
10.0 MM	Fine	H-183					

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs**
- Cast Removal
- Sternum
- Autopsy



**Round Cutting**



**Highspeed**



Size	Flutes	7 CM AS07 / AA07 AVS07 / AVA07	9 CM AS09 / AA09S AVS09 / AVA09	10 CM AS10 / AA10 AVS10 / AVA10	12 CM AS12S AVS12 / AVA12	14 CM AS14 / AA14 AVS14 / AVA14	15 CM AS15 / AA15 AVS15 / AVA15
1.0 MM	6	MR7BA10					
1.5 MM	6	MR7BA15					
2.0 MM	6	MR7BA20		MR10BA20			
2.5 MM	6	MR7BA25					
3.0 MM	6	MR7BA30	MR9BA30	MR10BA30		MR14BA30	
4.0 MM	8	MR7BA40	MR9BA40	MR10BA40		MR14BA40	MR15BA40
5.0 MM	8	MR7BA50	MR9BA50	MR10BA50		MR14BA50	MR15BA50
6.0 MM	10		MR9BA60			MR14BA60	
7.5 MM	10		MR9BA75			MR14BA75	



**Round Diamond**



**Highspeed**



Size	Grit	7 CM AS07 / AA07 AVS07 / AVA07	9 CM AS09 / AA09S AVS09 / AVA09	10 CM AS10 / AA10 AVS10 / AVA10	12 CM AS12S AVS12 / AVA12	14 CM AS14 / AA14 AVS14 / AVA14	15 CM AS15 / AA15 AVS15 / AVA15
2.0 MM	Fine	MR7BA20D		MR10BA20D			
3.0 MM	Fine	MR7BA30D	MR9BA30D	MR10BA30D		MR14BA30D	
4.0 MM	Fine	MR7BA40D	MR9BA40D	MR10BA40D		MR14BA40D	
5.0 MM	Fine		MR9BA50D	MR10BA50D		MR14BA50D	
6.0 MM	Fine		MR9BA60D				

Compatible with  
Medtronic®  
PM710  
PM700N  
PM700  
PM110  
PM100  
EM210  
EM200  
EM100-A

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Match Head**



**Highspeed**



Size	Flutes	7 CM AS07 / AA07 AVS07 / AVA07	9 CM AS09 / AA09S AVS09 / AVA09	10 CM AS10 / AA10 AVS10 / AVA10	12 CM AS12S AVS12 / AVA12	14 CM AS14 / AA14 AVS14 / AVA14	15 CM AS15 / AA15 AVS15 / AVA15
3.0 MM	2		MR9MH30	MR10MH30		MR14MH30	MR15MH30SH



**Match Head Diamond**



**Highspeed**



Size	Grit	7 CM AS07 / AA07 AVS07 / AVA07	9 CM AS09 / AA09S AVS09 / AVA09	10 CM AS10 / AA10 AVS10 / AVA10	12 CM AS12S AVS12 / AVA12	14 CM AS14 / AA14 AVS14 / AVA14	15 CM AS15 / AA15 AVS15 / AVA15
3.0 MM	Fine			MR10MH30D		MR14MH30D	



**Acorn / Strawberry**



**Highspeed**




Size	Flutes	7 CM AS07 / AA07 AVS07 / AVA07	9 CM AS09 / AA09S AVS09 / AVA09	10 CM AS10 / AA10 AVS10 / AVA10	12 CM AS12S AVS12 / AVA12	14 CM AS14 / AA14 AVS14 / AVA14	15 CM AS15 / AA15 AVS15 / AVA15
6.0 MM	8		MR9AC60				
7.5 MM	8		MR9AC75				

Compatible with Medtronic®  
PM710  
PM700N  
PM700  
PM110  
PM100  
EM210  
EM200  
EM100-A

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Routers Highspeed**

Size	Flutes	8 CM AS08	8 CM AF01 / AS08	8 CM AF02 / AS08	9 CM AF03 / AS09		
1.1 MM	2	MR8TA11					
1.5 MM	1		MRF18TA15				
2.3 MM	2			MRF28TA23			
3.0 MM	2				MRF39TA30		

**Metal Cutting Highspeed**

Size	Flutes	Head Length	ASMC				
3.0 MM	Rasp	18.3 MM	MRMC30				

Compatible with Medtronic®  
PM710  
PM700N  
PM700  
PM110  
PM100  
EM210  
EM200  
EM100-A

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Round Cutting**



**Telescoping Notch**

Size	Flutes	Part Number	Size	Flutes	Part Number	Size	Flutes	Part Number
2.0 MM	Less Aggressive	ES-BA120	2.0 MM	Standard		2.0 MM	Aggressive	
3.0 MM	Less Aggressive	ES-BA130	3.0 MM	Standard		3.0 MM	Aggressive	
4.0 MM	Less Aggressive	ES-BA140	4.0 MM	Standard		4.0 MM	Aggressive	
5.0 MM	Less Aggressive	ES-BA150	5.0 MM	Standard		5.0 MM	Aggressive	




**Round Diamond**



**Telescoping Notch**

Size	Grit	Part Number	Size	Grit	Part Number	Size	Grit	Part Number
2.0 MM	Fine	ES-BA20D	2.0 MM	Coarse		2.0 MM	Extra Coarse	
3.0 MM	Fine	ES-BA30D	3.0 MM	Coarse		3.0 MM	Extra Coarse	
4.0 MM	Fine	ES-BA40D	4.0 MM	Coarse		4.0 MM	Extra Coarse	
5.0 MM	Fine	ES-BA50D	5.0 MM	Coarse		5.0 MM	Extra Coarse	



**Match Head**

**Telescoping Notch**

Size	Flutes	Part Number
3.0 MM	2	ES-MH30



**Match Diamond**

**Telescoping Notch**

Size	Grit	Part Number
3.0 MM	Fine	ES-MH30D

Compatible with Stryker® Pi Drive® Sumex® Saber® Maestro®

Compatible with Stryker® Hand Pieces 5407-300 5407-100 5400-130 5400-120

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Routers**

**FA1 & FA1-R**

**FA2 & FA2-R**

**FA3 & FA3-R**

Size	Flutes	Part Number
1.5 MM	2	ES-FA1-015
2.3 MM		
3.0 MM		

Size	Flutes	Part Number
1.5 MM		
2.3 MM	2	ES-FA2-023
3.0 MM		

Size	Flutes	Part Number
1.5 MM		
2.3 MM		
3.0 MM		



**5400-210-57**

Size	Flutes	Part Number
1.5 MM	2	ES-071-057
1.7 MM		



**5400-210-58**

Size	Flutes	Part Number
1.5 MM		
1.7 MM	2	ES-071-058



**5400-210-59**

Size	Flutes	Part Number
1.5 MM		
1.7 MM	2	ES-071-059

Compatible with Stryker® Pi Drive® Sumex® Saber® Maestro®

Compatible with Stryker® Hand Pieces 5407-300 5407-100 5400-130 5400-120






All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Round Cutting

TPS  
Notch

Size	Flutes	Part Number	Length				
							
2.0 MM	6	ROPS2020 <sup>SS</sup>	84.5 MM				
							
3.0 MM	6	ROPS2030 <sup>SS</sup>	85.0 MM				
							
4.0 MM	8	ROPS2040 <sup>SS</sup>	84.5 MM				
							
5.0 MM	8	ROPS2050 <sup>SS</sup>	85.0 MM				
							
6.0 MM	8	ROPS2060 <sup>SS</sup>	85.0 MM				



Compatible with  
Stryker®  
TPS  
CORE

Compatible with  
Medtronic®  
Midas Rex™ III

Zimmer®  
Ultra Power®

Compatible with  
Stryker® Hand  
Piece  
5407-300 5407-  
100 5400-130  
5400-120  
5400-100  
5100-100

Compatible with  
Medtronic®  
ASMC  
Midas Rex™ III

Zimmer®  
7020-100

All burs are packaged individually















- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Round Cutting



Xomed  
Notch

Size	Flutes	Part Number	Length				
							
1.0 MM	6	X-27651 <small>SS</small>	64.0 MM				
							
2.0 MM	6	X-27652 <small>SS</small>	64.0 MM				
							
3.0 MM	8	X-27653 <small>SS</small>	64.0 MM				
							
4.0 MM	8	X-27654 <small>SS</small>	64.0 MM				
							
5.0 MM	10	X-27655 <small>SS</small>	64.0 MM				
							
6.0 MM	10	X-27656 <small>SS</small>	64.0 MM				
							
7.0 MM	12	X-27657 <small>SS</small>	64.0 MM				

Compatible with  
Medtronic®  
Xomed®  
Visao™  
Otologic  
Drill

Compatible with  
Medtronic®  
Xomed®  
Hand Piece  
33-34800

All burs are packaged individually

















- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sterrnum
- Autopsy



Round Diamond



Xomed  
Notch

Size	Grit	Part Number	Length				
							
0.5 MM	Fine	X-21554	64.0 MM				
							
1.0 MM	Fine	X-21555	64.0 MM				
							
1.5 MM	Fine	X-21560	64.0 MM				
							
2.0 MM	Fine	X-21565	64.0 MM				
							
2.5 MM	Fine	X-21570	64.0 MM				
							
3.0 MM	Fine	X-21567	64.0 MM				
							
4.0 MM	Fine	X-21568	64.0 MM				
							
5.0 MM	Fine	X-21569	64.0 MM				

All burs are packaged individually

Compatible with  
Medtronic®  
Xomed®  
Visao™  
Otolologic  
Drill

Compatible with  
Medtronic®  
Xomed®  
Hand Piece  
33-34800

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**



Compatible  
With Stryker®  
System  
940  
986


All blades are packaged individually

63.5 MM



Part Number	CC940-23
Material	Maximum Durability

63.5 MM



Part Number	CC940-25
Material	Stainless Steel

63.5 MM



Part Number	CC940-35
Material	Titanium Nitride




\*Photo Not Actual Size

Part Number	CC986-500
Compatible System	CastVac®


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**




Part Number	CC1-001
Material	Stainless Steel




Part Number	CC2-0
Material	Stainless Steel

Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC2-5X
Material	Stainless Steel



Part Number	CC2-0X 
Material	Stainless Steel

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith  
Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**De Soutter®**



<b>Part Number</b> <b>DS-81105</b>	<b>Part Number</b> <b>DCC-635-25</b>
<b>Material</b> <b>Stainless Steel</b>	<b>Material</b> <b>Stainless Steel</b>
<b>Cut Thickness</b> <b>0.92 MM</b>	<b>Cut Thickness</b> <b>0.89 MM</b>

Compatible With De Soutter®  
CC6  
CC5  
CBS-100  
CSP-201  
CNS3


Compatible With De Soutter®  
CleanCast®  
QuietCast®

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®**
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal**
- Sternum
- Autopsy




**Stryker®**



<b>Part Number</b>	<b>ORS-027</b> 
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-100</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-101</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

Compatible  
With Stryker®  
Hand Pieces  
8207  
7207  
6207  
4207  
2107

Compatible  
With Stryker®  
Systems  
System 8  
System 7  
System 6  
System 5  
System  
2000

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Smith  
Nephew®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible  
With Conmed®  
Hand Pieces  
PRO7450B  
PRO6450M  
5059-005  
5057-040

Compatible  
With Conmed®  
Hall 50®  
Mpower 2®  
Micro 100®


All blades are packaged individually



<b>Part Number</b>	<b>ZST-032</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZST-279</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>ZHS-137</b>
<b>Blade Thickness</b>	<b>0.63 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**3M®**




Compatible  
With 3M®  
5590

Compatible  
With 3M®  
Sarns® II  
Sarns®




Compatible  
With  
Codman®  
26-7006

All blades are packaged individually



<b>Part Number</b>	<b>ORS-028</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>OC-110</b> 
<b>Blade Thickness</b>	<b>0.95 MM</b>
<b>Cut Thickness</b>	<b>1.17 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®**
- Aesculap®
- Smith Nephew®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum**
- Autopsy



**Stryker®**



Compatible  
With Stryker®  
Hand Pieces  
810




Part Number	OD-412
Material	Stainless Steel



Part Number	OD-410
Material	Stainless Steel



Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC6 -001 
Material	Stainless Steel

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Smith Nephew®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy**



### Corporate Headquarters

1072 South Elms Rd.  
Suite E  
Flint, Michigan 48532

### Contact Information

Phone: 810.695.9800  
Fax: 810.695.7800  
Sales Inquiry: [sales@omegasurgical.com](mailto:sales@omegasurgical.com)  
Purchase Orders: [po@omegasurgical.com](mailto:po@omegasurgical.com)  
Website: [www.omegasurgical.com](http://www.omegasurgical.com)



ISO 13485:2016